

Datasheet

Outdoor Switches and Sockets



The ES range of outdoor switches and sockets are IP66 rated for use outside with a IK rating of IK08. Ideal for mounting on walls outside for use in the garden, sheds or any other outdoor application.

Plymouth Outdoor Boxes

Ideal for use with:

- Switches
- Sockets
- 13A Spur Units
- 20A Double Pole Switches



Specifications:

- ABS & Polycarbonate body
- Grey Housing
- IP66
- IK08
- 20mm Cable entry

ES100

- Single Body Housing
- 110 X 110 X 81mm
- 6 Cable Entry points

ES200

- Double Body Housing
- 168 X 110 X 81mm
- 9 Cable Entry points





Plymouth Outdoor Sockets

Specifications:

- ABS & Polycarbonate body
- Grey Housing
- IP66
- IK08
- 20mm Cable entry
- Supplied c/w Double pole switched socket
- 220—230V

ES101

- Single Body c/w Single Switched Socket
- 110 X 110 X 81mm
- 6 Cable Entry points

ES202

- Double Body c/w Twin Switched Socket
- 168 X 110 X 81mm
- 9 Cable Entry points

ES202/TN

- Double Body c/w Twin Switched Socket with Neon
- Smoked Transparent Lid
- 168 X 110 X 81mm
- 9 Cable Entry points

ES202/RCD

- Double Body c/w Twin Switched Socket with built in RCD Protection
- 168 X 110 X 81mm
- 9 Cable Entry points





Plymouth Outdoor Sockets

Specifications:

- ABS body
- Grey Housing
- IP66
- IK08
- 5 X 20mm Cable entry
- 20 Amp Rating
- 220—230V
- L88 X W88 X H58mm

ES302

- Single Switch c/w Neon
- 88 X 88 X 58mm
- 2 Cable Entry points



ES304

- Twin Switch c/w Neon
- 88 X 88 X 58mm
- 2 Cable Entry points

